Detection of IgG in Formalin-Fixed, Paraffin-Embedded Mouse Tissue

Reagent and Antibody Information

1X Wash Buffer
3% Hydrogen Peroxide
1% BSA Diluent
DAB Chromogen
Hematoxylin

Blocking Serum: Normal Goat Serum
Jackson Immunoresearch Laboratories, Inc.
West Grove, PA 19390
www.jacksonimmuno.com
1-800-367-5296
Catalog # 005-000-121

Avidin / Biotin Blocking Kit Vector Laboratories, Inc. Burlingame, CA 94010 www.vectorlabs.com 1-800-227-6666 Catalog # SP-2001

<u>Primary Antibody: Biotinylated Goat Anti-Mouse IgG (H+L)</u> Vector Laboratories, Inc.

Burlingame, CA 94010 www.vectorlabs.com 1-800-227-6666 Catalog # BA-9200

Label Complex: R.T.U. Vectastain Elite ABC Reagent

Vector Laboratories, Inc. Burlingame, CA 94010 www.vectorlabs.com 1-800-227-6666 Catalog # PK-7100

Staining Procedure

Positive Control Tissue: Spleen/thymus or gastrointestinal tract Stain Localization: Cytoplasmic (secreted)

1. Deparaffinize and hydrate slides through the following solutions:

Solution	Repetitions	Time
Xylene	2 times	5 minutes
100% Ethanol	2 times	3 minutes
95% Ethanol	2 times	3 minutes
1X Wash Buffer	2 times	5 minutes

111 // 46511	Zumes e		
2. Quench endogeno	ous peroxidase by placing th	ne slides in 3% hydrogen peroxide for 15 m	ninutes.
3. Rinse the slides i	n 2 changes of 1X wash buf	ffer for 5 minutes each.	
	normal goat serum for 20 mi Date Reconstituted_		
DO NOT RINSE	SLIDES. CONTINUE TO	AVIDIN-BIOTIN BLOCK.	
Apply avidin bloo Quick rinse in 1X	Exp. Dateck for 15 minutes at room ter	•	
DO NOT RINSE ONLY WIPE EX		R BEFORE ADDING PRIMARY ANTIB	ODY.
	tibody at a 1:1500 dilution Exp. Date	Incubate for 1 hour at room temperature.	
7. Rinse the slides in	n 2 changes of 1X wash buff	fer for 5 minutes each.	
	tain R.T.U. Elite Label and i	incubate for 30 minutes at room temperatu yes / no	ıre.
9. Rinse slides in 2	changes of 1X wash buffer	for 5 minutes each.	
(Add 1 drop of I	DAB per ml of substrate)	dark for 6 minutes at room temperature.	
I of #	Evn Data	New Kitt vec / no	

- 11. Rinse the slides in tap water 3 minutes.
- 12. Counterstain with hematoxylin for 20 seconds.

- 13. Rinse the slides in tap water until water is clear.
- 14. Gently agitate slides in 1X wash buffer until the tissues turn blue.
- 15. Dehydrate through the following solutions:

Solutions	Repetitions	Time
95% Ethanol	1 time	3 minutes
100% Ethanol	3 times	3 minutes
Xylene	2 times	5 minutes

16. Coverslip

Updated 02/11/10